

- Reference File 07

File Layout

Header (T0)

One Per File

| Data Name | Picture | Actual Positions | | Remarks |
|--------------|---------|------------------|-----|----------|
| | | From | To | |
| Filler | X(12) | 01 | 12 | |
| Date Created | X(08) | 13 | 20 | CCYYMMDD |
| Filler | X(58) | 21 | 118 | |
| Record Type | X(02) | 119 | 120 | T0 |

Co-Pay to Service (M1) (RF7A7)

| Data Name | Picture | Actual Positions | | Remarks |
|-------------------------------|---------|------------------|----|----------|
| | | From | To | |
| Co-Pay Level | X(02) | 01 | 02 | |
| Form Type | X(01) | 03 | 03 | |
| Service Type | X(01) | 04 | 04 | |
| Service Code From | X(11) | 05 | 15 | |
| Service Code To | X(11) | 16 | 26 | |
| Begin Date | X(08) | 27 | 34 | CCYYMMDD |
| End Date | X(08) | 35 | 42 | CCYYMMDD |
| Related Service Type (1) | X(01) | 43 | 43 | |
| Related Service Code From (1) | X(11) | 44 | 54 | |
| Related Service Code To (1) | X(11) | 55 | 65 | |
| Related Service Type (2) | X(01) | 66 | 66 | |
| Related Service Code From (2) | X(11) | 67 | 77 | |
| Related Service Code To (2) | X(11) | 78 | 88 | |

| | | | | |
|--------------------|---------|-----|-----|----|
| Place of Service | X(02) | 89 | 90 | |
| Provider Type | X(02) | 91 | 92 | |
| Admit Type | X(01) | 93 | 93 | |
| Member Age From | X(03) | 94 | 96 | |
| Member Age To | X(03) | 97 | 99 | |
| Co-Pay Amount From | N(5)V99 | 100 | 104 | |
| Filler | X(14) | 105 | 118 | |
| Record Type | X(02) | 119 | 120 | M1 |

Transplant Contract Rates (M2) (RI315)

One to Many Per Provider ID

| Data Name | Picture | Actual Positions | | Remarks |
|------------------------|---------|------------------|-----|---|
| | | From | To | |
| Provider ID | X(06) | 01 | 06 | |
| Case Type | X(03) | 07 | 09 | Case Type and Stage Number are combined on the RI315 to display as the STAGE NAME |
| Stage Number | X(02) | 10 | 11 | Case Type and Stage Number are combined on the RI315 to display as the STAGE NAME |
| Stage Name Description | X(78) | 12 | 89 | RI385 Description |
| Contract Year | X(02) | 90 | 91 | |
| Contract Amount | N(9)V99 | 92 | 102 | 999999999.99 |
| Begin Date | X(08) | 103 | 110 | CCYYMMDD |
| End Date | X(08) | 111 | 118 | CCYYMMDD |
| Record Type | X(02) | 119 | 120 | M2 |

Additional information:

1. Include records for current Contract Year (CTR-YR) and prior two years
 - a. RF777 will be utilized to determine the Contract Year Code based on the BEG and END DATES of the record and the current system/extract date:

i.e.: Current Contract Year Code = 35: BEG DATE: 10/01/16 END DATE 09/30/17 and current system date (4/11/2017) falls within those dates

2. Use BEG_DAT of the record for determination if record should be included in the extract:
 - a. BEG_DAT of the record must be equal to (=) or less than (<) the extract date
 - i. Records with a future BEG_DAT will not be included in the extract
3. Only Active CASE-TYP for each Contract Year will be included in the extract
 - a. RI-CASE-TYP-R.EFF-FROM(RI370) has to be less than (<) or equal to (=) the Contract Year END-DAT (RF777) and
 - b. RI-CASE-TYP-R.EFF-THRU (RI370) has to be greater than (>) or equal to (=) the Contract Year BEG-DAT (RF777)
4. The following data elements will be included in the extract record:
 - a. Provider ID (PRV-ID)
 - b. Case Type (CASE-TYP)*
 - c. Stage Number (STG-NO)*
 - d. Stage Name Description (RI-STG-TYP: STG_DESC)
 - e. Contract Year (CTR-YR)
 - f. Contract Amount (CTR-AMT)
 - g. Begin Date (BEG-DAT)
 - h. End Date (END-DAT)

*NOTE: The Case Type and the Stage Number are combined on the RI315 to display as the STAGE NAME

Specialty Drug (NDC) Rates (M3)

Many to one Specialty Drug (NDC) Code

| Data Name | Picture | Actual Positions | | Remarks |
|----------------------------------|-----------|------------------|-----|--|
| | | From | To | |
| Specialty Drug (NDC) | X(11) | 01 | 11 | RF325 Code |
| Specialty Drug (NDC) Description | X(30) | 12 | 41 | RF310 Code Description |
| Rate | N(7)V9999 | 42 | 52 | RF321 AHC Rate; 9999999.9999 |
| Begin Date | X(08) | 53 | 60 | RF321 AHC Rate Begin Date; CCYYMMDD |
| End Date | X(08) | 61 | 68 | RF321 AHC Rate End Date; CCYYMMDD or '99999999' |
| Status | X(01) | 69 | 69 | RF321 AHC Rate record status: A = Active; H = History |
| Filler | X(49) | 70 | 118 | |
| Record Type | X(02) | 119 | 120 | M3 |

Additional information:

Active and History RF321 "AHC" Rate records will be included for the RF325 Specialty Drug (NDC)

Provider TIN Spec Processing (M4) (RF681)

One to one Record

| Data Name | Picture | Actual Positions | | Remarks |
|----------------------|---------|------------------|-----|------------------------------------|
| | | From | To | |
| Provider TIN | X(09) | 01 | 09 | Provider Tax Identification Number |
| Processing Indicator | X(03) | 10 | 12 | Processing Indicator |
| Begin Date | X(08) | 13 | 20 | CCYYMMDD |
| End Date | X(08) | 21 | 28 | CCYYMMDD or '99999999' |
| Filler | X(90) | 29 | 118 | |
| Record Type | X(02) | 119 | 120 | M4 |

Additional information:

1. Only RF-PR-TIN-PRCS Active status records will be included

Provider ID Special Process (M5) (RF682)

One to one Record

| Data Name | Picture | Actual Positions | | Remarks |
|----------------------|---------|------------------|----|----------------------|
| | | From | To | |
| Provider ID | X(06) | 01 | 06 | Provider ID |
| Processing Indicator | X(03) | 07 | 09 | Processing Indicator |

| Data Name | Picture | Actual Positions | | Remarks |
|-------------|---------|------------------|-----|------------------------|
| Begin Date | X(08) | 10 | 17 | CCYYMMDD |
| End Date | X(08) | 18 | 25 | CCYYMMDD or '99999999' |
| Filler | X(93) | 26 | 118 | |
| Record Type | X(02) | 119 | 120 | M5 |

Additional information:

1. Only RF-PR-PRID-PRCS Active status records will be included

Special Population Diagnosis (M6) (RF260)

Many to many Record

| Data Name | Picture | Actual Positions | | Remarks |
|---------------------------|---------|------------------|-----|--|
| | | From | To | |
| ICD-10 Diagnosis Code | X(07) | 01 | 07 | ICD-10 Diagnosis Code |
| – Category | | | | Pos 1-3 of Diagnosis Code |
| – Etiology | | | | Pos 4-6 of Diagnosis Code |
| – Extension | | | | Pos 7 of Diagnosis Code |
| Spec Population Indicator | X(03) | 8 | 10 | Special Population Indicator <ul style="list-style-type: none"> • SED - Severely Emotionally Disturbed • NAS - Neonatal Abstinence Syndrome • SCI - Severe Combined Immunodeficiency • AUT - Autism or At Risk • OHR - Office of Human Rights Special Assistance • PCR - Previous CRS (Children's Rehabilitative Services) |
| Begin Date | X(08) | 11 | 18 | CCYYMMDD |
| End Date | X(08) | 19 | 26 | CCYYMMDD or '99999999' |
| Filler | X(92) | 27 | 118 | |
| Record Type | X(02) | 119 | 120 | M6 |

Additional information:

1. Only RF-SPEC-DIAG Active status records will be included

EVAL AND MGMT PROC CODES (M7) (RF7B7)**One to One Record**

| Data Name | Picture | Actual Positions | | Remarks |
|-------------|---------|------------------|-----|------------------------|
| | | From | To | |
| Code | X(5) | 01 | 05 | RF7B7 Code Values |
| Description | X(80) | 06 | 85 | RF7B7 Code Description |
| Begin Date | X(08) | 86 | 93 | CCYYMMDD |
| End Date | X(08) | 94 | 101 | CCYYMMDD or '99999999' |
| Filler | X(17) | 102 | 118 | |
| Record Type | X(02) | 119 | 120 | M7 |

Additional File information:

1. Record will be in the REFER07 extract
2. Only Active (A) status records will be included

DAP SPECIAL PROCESS CODE/AMT (M8) (RF684)**One to Many Record**

| Data Name | Picture | Actual Positions | | Remarks |
|--------------|-------------|------------------|-----|--|
| | | From | To | |
| SPEC-PRCS-CD | X(03) | 01 | 03 | Special Processing Code |
| AP-IND | X(01) | 04 | 04 | Amount/Percentage Indicator "A"=Amount "P"=Percentage |
| AMOUNT | 9(07)v9(04) | 5 | 15 | Amount: nnnnnnn.nnnn (zero filled with assumed decimal '7v4') |
| BEG-DATE | X(08) | 16 | 23 | Begin Date (YYYYMMDD) |
| END-DATE | X(08) | 24 | 31 | End Date (YYYYMMDD) or '99999999' |
| FILLER | X(87) | 32 | 118 | Filler |
| REC-TYP | X(02) | 119 | 120 | M8 |

Additional information:

1. Record will be included in the REFER07.ZIP file
2. Only **RF-DAP-AMT** Active status records will be included

SPECIAL PROCESSING CODES (M9) (RF680)**One to Many Record**

| Data Name | Picture | Actual Positions | | Remarks |
|------------|---------|------------------|-----|--------------------------------------|
| | | From | To | |
| CODE | X(03) | 01 | 03 | RF680 Code Values |
| DESC | X(80) | 04 | 83 | RF680 Code Description |
| BEGIN-DATE | X(08) | 84 | 91 | Begin Date - YYYYMMDD |
| END-DATE | X(08) | 92 | 99 | End Date - YYYYMMDD or '99999999' |
| FILLER | X(19) | 100 | 118 | Filler |

| | | | | |
|---------|-------|-----|-----|-----------|
| REC-TYP | X(02) | 119 | 120 | M9 |
|---------|-------|-----|-----|-----------|

Additional information:

1. Record will be included in the REFER07.ZIP file
2. Only Active status records will be included

D1 (PROVIDER TYPE/SPECIAL PROCESS CODE/DAP AMOUNT) RF687

One to Many Record

| Data Name | Picture | Actual Positions | | Remarks |
|--------------|-------------|------------------|-----|--|
| | | From | To | |
| PR-TYPE | X(02) | 01 | 02 | Provider Type |
| SPEC-PRCS-CD | X(03) | 03 | 05 | Special Processing Code |
| AMT-IND | X(01) | 06 | 06 | Amount Indicator: A=Amount P=Percent |
| AMOUNT | 9(07)v9(04) | 07 | 17 | Amount: nnnnnnn.nnnn (zero filled with assumed decimal '7v4') |
| FORM-TYPE | X(01) | 18 | 18 | Form Type: A=HCFA-1500 B=UB C=AHCCCS FORM C D=ADA DENTAL I=UB I/P L=UB LTC O=UB O/P |
| BEG-DATE | X(08) | 19 | 26 | Begin Date (YYYYMMDD) |
| END-DATE | X(08) | 27 | 34 | End Date (YYYYMMDD) or '99999999' |
| FILLER | X(84) | 35 | 118 | Filler |
| REC-TYPE | X(02) | 119 | 120 | D1 |

Additional information:

1. Record will be included in the REFER07.zip file
2. Only RF-PR-SPEC-DAP Active status records will be included

Trailer (T9)

One Per File

| Data Name | Picture | Actual Positions | | Remarks |
|---------------|---------|------------------|----|----------|
| | | From | To | |
| Filler | X(12) | 01 | 12 | |
| Date Created | X(08) | 13 | 20 | CCYYMMDD |
| Total Records | N(10) | 21 | 30 | |

| | | | | |
|-------------|-------|-----|-----|----|
| Filler | X(88) | 31 | 118 | |
| Record Type | X(02) | 119 | 120 | T9 |