


Arizona Health Care Cost Containment System




Demographics of Members Diagnosed with Opioid Use Disorder (OUD) [1]

Data as of July 2022


Count of Members with OUD, By Federal Fiscal Year



Gender Distribution of Members with OUD, FFY - 2021



Count of Members with OUD by Age Group, FFY - 2021 [Average Age: 38]



Note(s): [1] Those diagnosed with OUD in any of the first 13 diagnosis positions on a claim or encounter.

Arizona Health Care Cost Containment System




Demographics of Members Getting Medication Assisted Treatment (MAT) ^[1]


Data as of July 2022

Count of Members Receiving MAT, By Federal Fiscal Year


■ Distinct Member Count



Gender Distribution of Members Receiving MAT, FFY - 2021



Count of Members Receiving MAT by Age Group, FFY - 2021 [Average Age: 39]



Note(s): [1] MAT in this report refers to members diagnosed with an Opioid Use Disorder (OUD) and have been prescribed MAT within 90 days of the OUD diagnosis to treat opioid dependence and addiction. The 3 medications of MAT are Methadone, Buprenorphine and Naltrexone. [2] Per NCQA standards, MAT can be administered to individuals aged 16 and older.



Arizona Health Care Cost Containment System



Naloxone Data^[1]

Data as of July 2022

Count of Naloxone Prescriptions, By Federal Fiscal Year



Count of Members Prescribed with Naloxone by Month, FFY - 2021

Note: [1] Naloxone (also known as Narcan) is a medication called an "opioid antagonist" used to counter the effects of opioid overdoses.


Arizona Health Care Cost Containment System




Demographics of Members using Naltrexone [1] [2]

Data as of July 2022


Gender Distribution of Members using Naltrexone, FFY - 2021



Count of Members using Naltrexone by Month, FFY - 2021



Count of Members using Naltrexone by Age Group, FFY - 2021 [Average Age: 34]



Note(s): [1] Per NCQA standards, MAT can be administered to individuals aged 16 and older. [2] Long Acting Naltrexone is Vivtrol, 380MG Injection.


Arizona Health Care Cost Containment System




Emergency Department Visits for Opioid Poisoning ^[1] ^[2]

Data as of July 2022


Count of Distinct Members and ED Visits, By Federal Fiscal Year



Gender Distribution, FFY - 2021



Count of Members by Age Group, FFY - 2021 [Average Age: 35]




Note(s):[1] This is determined by Opioid Poisoning Diagnosis Codes and Emergency Department Revenue/Procedure Codes. [2] A unique ED Visit is determined by Member ID and Service Start Date.

Arizona Health Care Cost Containment System




Infants with Neonatal Abstinence Syndrome (NAS) Diagnosis [1]

Data as of July 2022



Count of Members Diagnosed with NAS, By Federal Fiscal Year



Gender Distribution of Members Diagnosed with NAS, FFY - 2021

Note(s): [1] Includes only members under age 1 that are diagnosed with NAS in the reporting period. NAS is a group of problems that occur in a newborn who was exposed to addictive opioid drugs while in the mother's womb.